



IFW AF/1743
Docket No. CDS-215

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : Randy Bower et al.
Serial No. : 09/482,599 Art Unit : 1743
Filed: : January 13, 2000 Examiner : P. Kathryn Bex
Title : FAILURE DETECTION IN AUTOMATED CLINICAL ANALYZERS

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed to:
Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

June 10, 2004

(Date of Deposit)

Todd J. Burns

(Name of applicant, assignee, or Registered Representative)

(Signature)

June 10, 2004

(Date of Signature)

Commissioner For Patents
PO Box 1450
Alexandria, VA 22313-1450

**PETITION FOR EXTENSION OF TIME
AND AUTHORIZATION TO CHARGE
DEPOSIT ACCOUNT THEREFOR**

Dear Sir:

Applicant(s) petition(s) the Commissioner of Patents and Trademarks to extend the time for response to the Final Office Action dated 12/10/2003 for Three(3) month(s) from March 10, 2004 to June 10, 2004.

Please charge Deposit Account No. 10-0750/CDS0215/TJB in the name of Johnson & Johnson for \$950.00, the cost of filing this Petition.

In the event of any non-payment of a required fee, the Commissioner is authorized to charge or credit Deposit Account No. 10-0750/ CDS0215/TJB in the name of Johnson & Johnson as required to correct the error. Three copies of this Petition are enclosed.

Respectfully submitted,

Todd J. Burns
Reg. No. 38,011
Attorney for Applicant(s)

06/15/2004 JADD01 00000016 100750 09482599
01 FC:1253 950.00 DA

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(732) 524-1496
DATE: June 10, 2004